

MSDS

Report No.: A2220149669101001

Company Name KUNSHAN YUNCHENG PLASTIC INDUSTRY CO., LTD

Address: NO.1558 HONGHU ROAD, ECONOMIC & TECHNICAL

DEVELOPMENT ZONE, KUNSHAN CITY, JIANGSU

PROVINCE

Sample Name: Biaxially oriented nylon film



Safety Data Sheet

Biaxially oriented nylon film

Version: V2.0.0.1

Report No.: A2220149669101001 Creation Date: 2022/04/26 Revision Date: 2022/04/26

*Prepared according to GB/T 17519-2013 and GB/T 16483-2008

1 Identification of the chemical and supplier

IProduct identifier

ı	
Product Name	Biaxially oriented nylon film
CAS No.	25038-54-4
EC No.	607-506-6
Molecular Formula	(C ₆ H ₁₁ NO) _n

Recommended use of the product and restrictions on use

Relevant identified uses	Plastic Packaging.
Uses advised against	None.

| Details of the supplier of the Safety Data Sheet

Name of the company	KUNSHAN YUNCHENG PLASTIC INDUSTRY CO., LTD
Address of the company	NO.1558 HONGHU ROAD, ECONOMIC AND TECHNICAL DEVELOPMENT ZONE, KUNSHAN CITY, JIANGSU PROVINCE
Post code	-
Telephone number	(86) 512-82627912
Fax number	-
E-mail address	sy.ru.wang@yczbjt.com

| Emergency phone number

Emergency phone number (86) 512-82627912

2 Hazard(s) identification

|Emergency overview

Based on available data, no known hazards.

|Hazard classification according to GHS

According to GB 30000 series standards, not classified as a hazardous chemical.

| GHS Label elements

Hazard pictograms	Not applicable
Signal word	Not applicable



Biaxially oriented nylon film Version: V2.0.0.1Revision Date: 2022/04/26 | Hazard statements **Hazard statements** Not applicable | Precautionary statements Prevention **Prevention** Not applicable Response Response Not applicable Storage Storage Not applicable Disposal Disposal Not applicable | Hazard description Physical and chemical hazards Solid, toxic smoke/fumes in a fire. Health hazards Inhaled Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort. Ingestion Accidental ingestion of the product may be harmful to the health of the individual. **Skin Contact** Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. This product may cause temporary discomfort following direct contact with the eye. Eve Environmental hazards Please refer to 12th chapter of SDS. 3 Composition/information on ingredients |Substance/mixture Substance Component CAS No. EC No. Concentration (wt, %) Nylon 6 25038-54-4 607-506-6 100 First-aid measures Description of first aid measures **General advice** Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance. Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician if feel uncomfortable.

Skin contact

No harm in general situation. First aid is not needed.



	Version: V2.0.0.1Revision Date: 2022/04/26
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.
lost important symptoms, a	acute and delayed
Please see section 11.	·
Advice for protecting the res	
<u> </u>	
Avoid contact with skin and eyes. Avoid inhalation of dusts.	
Avoid inhalation of dusts.Use personal protective equ	uinment including respirator
T OSC POISONAL PROJECTIVE EQU	ipment molauling respirator.
Special note to the doctor	
1 Treat symptomatically.	
2 Symptoms may be delayed.	
Suitable extinguishing media Unsuitable extinguishing	Use extinguishing media suitable for surrounding area. There is no restriction on the type of extinguisher which may be used.
media	
Specific hazards arising from	m the substance or mixture
1 Development of hazardous	combustion gases or vapor possible in the event of fire.
Development of hazardous ire precautions and protect	combustion gases or vapor possible in the event of fire.
Development of hazardous ire precautions and protect As in any fire, wear self-con protective gear.	combustion gases or vapor possible in the event of fire. ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full
Development of hazardous ire precautions and protect As in any fire, wear self-con protective gear. Fight fire from a safe distance	combustion gases or vapor possible in the event of fire. ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full ce, with adequate cover.
Development of hazardous ire precautions and protect As in any fire, wear self-con protective gear. Fight fire from a safe distance	combustion gases or vapor possible in the event of fire. ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full
Development of hazardous ire precautions and protect As in any fire, wear self-con protective gear. Fight fire from a safe distance of the protective gear. Prevent fire extinguishing was a safe distance of the protection of	ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full ce, with adequate cover. atter from contaminating surface water or the ground water system.
Development of hazardous ire precautions and protect As in any fire, wear self-con protective gear. Fight fire from a safe distance Prevent fire extinguishing was a self-con protective gear.	ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full ce, with adequate cover. atter from contaminating surface water or the ground water system.
Development of hazardous ire precautions and protect As in any fire, wear self-conprotective gear. Fight fire from a safe distance Prevent fire extinguishing was Accidental release materials	combustion gases or vapor possible in the event of fire. ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full ce, with adequate cover. atter from contaminating surface water or the ground water system. easures etive equipment and emergency procedures
Development of hazardous ire precautions and protect As in any fire, wear self-comprotective gear. Fight fire from a safe distance Prevent fire extinguishing was Accidental release material precautions, protective gear. Ensure adequate ventilation discharges.	ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full ce, with adequate cover. atter from contaminating surface water or the ground water system. easures etive equipment and emergency procedures I. Remove all sources of ignition. Take precautionary measures against static
Development of hazardous ire precautions and protect As in any fire, wear self-comprotective gear. Fight fire from a safe distance Prevent fire extinguishing was Accidental release material precautions, protective gear. Ensure adequate ventilation discharges. Evacuate personnel to safe	ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full ce, with adequate cover. atter from contaminating surface water or the ground water system. leasures tive equipment and emergency procedures I. Remove all sources of ignition. Take precautionary measures against static areas. Keep people away from and upwind of spill/leak.
Development of hazardous Tire precautions and protect As in any fire, wear self-comprotective gear. Fight fire from a safe distance Prevent fire extinguishing was Accidental release material precautions, protective gear. Ensure adequate ventilation discharges. Evacuate personnel to safe	ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full ce, with adequate cover. atter from contaminating surface water or the ground water system. easures etive equipment and emergency procedures I. Remove all sources of ignition. Take precautionary measures against static
As in any fire, wear self-comprotective gear. Fight fire from a safe distance Personal precautions, protection Ensure adequate ventilation discharges. Evacuate personnel to safe	ive measures tained breathing apparatus (MSHA/NIOSH approved or equivalent) and full ce, with adequate cover. atter from contaminating surface water or the ground water system. leasures tive equipment and emergency procedures I. Remove all sources of ignition. Take precautionary measures against static areas. Keep people away from and upwind of spill/leak.



K			
Biaxia	Illy oriented nylon film	Version: V2.0.0.1Revision Date: 2022/04/26	
2	Discharge into the environment must be avoided.		
Met	hods and materials for co	ontainment and cleaning up	
1	Cut off the source of the lea	k as much as possible.	
2	Keep leaks in a ventilated p	lace.	
3	Isolation of contaminated ar	eas and restrictions on access.	
4	It is recommended that eme	rgency personnel wear dust masks.	
5	Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.		
6	Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.		
	Handling and storage)	
Han	dling		
1	Handling is performed in a v	vell ventilated place.	
2	Avoid contact with eyes.		
3	Keep away from heat/sparks/open flames/ hot surfaces.		
Sto	rage		
1	Keep containers tightly closed.		
2	Keep containers in a dry, cool and well-ventilated place.		
3	Keep away from heat/sparks/open flames/hot surfaces.		
4	Store away from incompatib	le materials and foodstuff containers.	
8	Exposure controls/pe	ersonal protection	
Con	trol parameters		
Oc	cupational Exposure limit values	No relevant regulations	
•	Biological limit values		
	Biological limit values	No relevant regulations	
•	Monitoring methods		
1	EN 14042 Workplace atmos exposure to chemical and b	spheres. Guide for the application and use of procedures for the assessment of iological agents.	
2	GBZ/T 300 series standard	Determination of toxic substances in workplace air.	
Eng	ineering controls		
1	Ensure adequate ventilation	, especially in confined areas.	
2	Ensure that eyewash station	ns and safety showers are close to the workstation location.	
3	Set up emergency exit and	necessary risk-elimination area.	
4	Handle in accordance with good industrial hygiene and safety practice.		
In-			

|Personal protection equipment



Biaxially oriented nylon film	Version: V2.0.0.1Revision Date: 2022/04/26	
General requirement	No special requirements, please see the description below.	
Eye protection	In general situation, eye protection is not needed. In the production process, when contacting with vapour or dust, tightly fitting safety goggles.	
Hand protection	In general situation, hand protection is not needed.	
Respiratory protection	In general situation, respiratory protection is not needed. If exposure limits are exceeded or if irritation or other symptoms are experienced, wear dust proof mask or gas defence mask.	
Skin and body protection	In general situation, skin and body protection are not needed.	

9 Physical and chemical properties

| Physical and chemical properties

Odor	Transparent solid Odorless	
	Oderless	
Odor threshold	Odoness	
	No information available	
рН	No information available	
Melting point/freezing point(°C)	No information available	
Initial boiling point and boiling range(°C)	No information available	
Flash point(Closed cup,°C)	Not applicable	
Evaporation rate	Not applicable	
Flammability	Combustible	
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available	
Vapor pressure	Not applicable	
vapor pressure		
· · ·	Not applicable	
Vapor density(Air=1)	Not applicable No information available	
Vapor density(Air=1) Relative density(Water=1)		
Vapor density(Air=1) Relative density(Water=1) Solubility	No information available	
Vapor density(Air=1) Relative density(Water=1) Solubility n-octanol/water partition coefficient	No information available Insoluble in water	
Vapor density(Air=1) Relative density(Water=1) Solubility n-octanol/water partition coefficient Auto-ignition temperature(°C)	No information available Insoluble in water No information available	
range(°C) Flash point(Closed cup,°C) Evaporation rate	Not applicable Not applicable	



10 Stability and reactivity

| Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.	
Chemical stability	Stable under proper operation and storage conditions.	
Possibility of hazardous	No information available.	
reactions	reactions	



iaxially oriented nylon film Version: V2.0.0.1Revision Date: 2022/04		
Conditions to avoid	Incompatible materials, heat, flame and spark.	
Incompatible materials	No information available.	
Hazardous decomposition	, · · · · · · · · · · · · · · · · · · ·	
products	products should not be produced.	

111 Toxicological information

Acute toxicity

Acute toxicity No information available

|Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
Nylon 6	Category 3	Not Listed

Others

Nylon 6(Component)	
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Reproductive toxicity(additional)	Based on available data, the classification criteria are not met

12 Ecological information

| Acute aquatic toxicity

Acute aquatic toxicity No information available

| Chronic aquatic toxicity

Chronic aquatic toxicity No information available

| Persistence and degradability

Persistence and degradability No information available

| Bioaccumulative potential

Bioaccumulative potential No information available

| Mobility in soil



Biaxially oriented nylon film	Version: V2.0.0.1Revision Date: 2022/04/26						
Mobility in soil	Mobility in soil No information available						
 Results of PBT and vPvB as	sessment						
Results of PBT and vPvB assessment	Insufficient information, temporarily unable to evaluate						
15 Disposal consideration	ons						
Disposal considerations							
Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation Recommend the use of incineration disposal.						
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.						
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.						
14 Transport information	<u>1</u>						
Transporting Label	ansporting Label Not applicable						
IMDG-CODE							
IMDG-CODE	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS						
IATA-DGR							
IATA-DGR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS						
UN-ADR							
UN-ADR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS						
Others							
Methods of packing	Packaging as recommended by manufacturer.						
Precautions for transport	Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.						
15 Regulatory information	on						

| International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AIIC	ENCS
Nylon 6	×	√	√	√	√	√	√	√	√

[EINECS] European Inventory of Existing Commercial Chemical Substances

[TSCA] United States Toxic Substances Control Act Inventory

[DSL] Canadian Domestic Substances List

[IECSC] China Inventory of Existing Chemical Substances



[NZIoC]

KUNSHAN YUNCHENG PLASTIC INDUSTRY CO., LTD

Version: V2.0.0.1Revision Date: 2022/04/26

Biaxially oriented nylon film New Zealand Inventory of Chemicals

[PICCS] Philippines Inventory of Chemicals and Chemical Substances

[KECI] Korea Existing Chemicals Inventory

[AIIC] Australia. Inventory of Industrial Chemicals (AIIC) [ENCS] Japan Inventory of Existing & New Chemical Substances

| Chinese chemical inventory

Component	Α	В	С	D	Е	F	G	Н	I	J	K	L	M	N	0
Nylon 6	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×

- Catalog of Hazardous Chemicals (2015 Edition), Notice 5th 2015, the former China State Administration of Work Safety together with the Ministry of Industry and Information Technology, etc.
- List of Toxic Chemicals Restricted in China, Notice 60th 2019, the Ministry of Ecology and Environment, Ministry of **(B)** Commerce, General Administration of Customs.
- (C)List of Ozone Depletion Chemicals Controlled to be Imported/Exported in China (First to Sixth batches), Notice from 2000 to 2012, the former Ministry of Environmental Protection of PRC.
- Catalog of Hazardous Chemicals for Priority Management First and Second batches), Notice 95th, 2011, Notice 12th 2013, China State Administration of Work Safety.
- Catalog of Hazardous Chemicals for Environmental Management, Notice 33th 2014, The former Ministry of Environmenta (E)
- (F) List of Various Monitoring Chemicals, 52th 2020, the Ministry of Industry and Information Technology.
- List of Priority Controlled Chemicals (the First batch), 83th 2017, the former Ministry of Environmental Protection, Ministry o [G]Industry and Information Technology, the former National Health And Family Planning Commission.
- Catalog of Specially Controlled Hazardous Chemicals (First Edition), 1st 2020, the Ministry of Emergency Management, (H)Ministry of Industry and Information Technology, Ministry of Public Security, Ministry of Transport.
- List of Toxic and Harmful Water Pollutants (First batch), 28th 2019, the Ministry of Ecology and Environment, National Health Commission.
- Catalog of Highly Toxic Chemicals, Notice 142th 2003, the former Ministry of Health of P.R.China.
- Dangerous Chemicals Directory Used to Manufacure Exploder (2017 Edition), Notice 11th May. 2017, Ministry of (K) Public Security of P.R.China.
- Catalog of Stupefacient and Psychotropic Substances (2013 Edition), Notice 230th 2013, China Food and Drug Administration.
- Catalog of Classification and Varieties of Precursor Chemicals, 120th 2017, series of announcements issued by the Ministr (M) of Public Security and other ministries and commissions.
- [N] Catalog of Import and Export Management of Precursor Chemicals, 7th 2006, the Ministry of Commerce.
- International Verification of Precursor Chemicals Management Catalog, 8th 2006, the Ministry of Commerce, Ministry of [O] Public Security.

Note:

- Indicates that the substance included in the regulations.
- No data or not inlcuded in the regulations.

16 Other information

Information on revision

Creation Date	2022/04/26
Revision Date	2022/04/26
Reason for revision	-

Reference

IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home . [1]



Version: V2.0.0.1Revision Date: 2022/04/26

Biaxially oriented nylon film

- [2] IARC, website: http://www.iarc.fr/。
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/substancesearch/index.action
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple •
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/.
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/.

| Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG	International Maritime Dangerous Goods
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC_X	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor		

| Disclaimer

This Safety Data Sheet (SDS) was prepared according to GB/T 16483 and GB/T 17519. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information of section 3 and section 9 is provided by the company listd in section 1. Other information is from authoritative database and expert assessment.

- 1. This file is considered invalidated without the Special Seal for Inspection of CTI.
- 2. This file shall not be altered, increased or deleted.
- 3. Without written approval of CTI, this file shall not be copied partly or published as advertisement.
- 4. The file and the data must not be used in legal affairs, according to the agreement with CTI and the Applicant.

End of File